

# Puncture<sup>®</sup> free ANTI- PUNCTURE SEALANT



Application chart / Tableau Des Doses D'application  
Tabla De Aplicacion / Tabella di Applicazione / Quadro de Aplicaco

## On Road Large Coaches, Buses, Heavy Trucks and Trailers

This chart applies ONLY to Heavy Vehicles of 5 Tonnes and over  
CAMIONS POIDS LOURDS, REMORQUES et BUS (+ plus 5 T).  
CAMIONS PESADOS, REMOLQUES y AUTOBUSES (de mas de 5 Toneladas).  
CAMION RIMORCHI e AUTOBUS / RIMORCHI STRADALI (di oltre 5 tonnellate).  
VEICULOS PESADOS, REBOQUES e AUTOCARROS. (acima de 5 toneladas).

TYRE Size.	RIM	OKO MLS	TYRE Size.	RIM	OKO MLS	TYRE Size.	RIM	OKO MLS
Taille du Pneu	Jante		Taille du Pneu	Jante		Taille du Pneu	Jante	
Tamano del neumatico	Llanta		Tamano del neumatico	Llanta		Tamano del neumatico	Llanta	
Dim. Pneumatico			Dim. Pneumatico			Dim. Pneumatico		
Tamanho do Pneu			Tamanho do Pneu			Tamanho do Pneu		
<b>16 Inch Rims</b>			<b>17.5 Inch Rims</b>			<b>20 Inch Rims</b>		
6.00	16	300	9.50	17.5	650	11.00R	20	1800
6.50R	16LT	300	10.00R	17.5	650	12.00 / 80	20	2000
7.00	16	350	11.00R	17.5	700	12.00R	20	2000
7.50R	16LT	350	14.00R	17.5	800	12.50	20	2200
8.25R	16	400	205 x 75	17.5	400	13.00 / 80	20	2300
8.35	16	400	215 x 75	17.5	450	13.00R	20	2300
9.00	16	450	225 x 75	17.5	500	14.00 / 80	20ML	2400
215 x 75R	16	400	235 x 75	17.5	500	14.00R	20	2400
225 x 75	16	400	<b>18 Inch Rims</b>			14.50	20	2400
245.00	16	450	7.50R	18	550	14.75	20	2400
10.50	16	500	9.00	18	600	15.00	20	2400
11.00	16	500	10.00	18	650	15.50 x 80	20	2400
14.00	16	600	10.50	18	700	16.00R	20	2600
LT215 x 85R	16	400	12.50	18	800	19.50	20	3000
LT225 x 75R	16	400	14.00	18	1000	5.79	20	2600
LT235 x 85R	16	400	<b>19.5 Inch Rims</b>			375 x 75	20	2400
LT245 x 75R	16	450	7.00	19.5	800	405 x 75	20	2600
LT255 / 85R	16	450	8.00R	19.5	800	425 x 75	20	2800
LT285 x 75R	16	500	9.00R	19.5	900	365 x 80	20	2400
<b>16.5 Inch Rims</b>			9.50	19.5	900	<b>20.5 Inch Rims</b>		
8.00	16.5	400	10.00	19.5	1000	525 x 65	20.5	3800
8.75	16.5	450	15.00R	19.5	1800	615 x 65	20.5	4400
9.50	16.5	450	16.00	19.5	2000	<b>21 Inch Rims</b>		
10.00	16.5	500	16.50R	19.5	2000	12.00	21	2400
12.00	16.5	500	18.00R	19.5	2200	14.00R	21	2800
<b>17 Inch Rims</b>			19.50R	19.5	2400	14.5	21	2800
7.00	17	400	245 x 70	19.5	900	16.00	21	3000
7.50	17	400	255 x 70	19.5	1000	18.00	21	3800
8.00	17	400	265 x 70	19.5	1200	23.00	21	4500
8.25	17	400	285 x 70	19.5	1500	<b>22 Inch Rims</b>		
8.75	17	500	305 x 70	19.5	1600	8.20	22	1700
9.50	17	500	<b>20 Inch Rims</b>			8.30	22	1800
10.00	17	500	6.50	20	800	9.00	22	2000
12.00	17	600	7.00	20	900	9.50	22	2200
<b>17.5 Inch Rims</b>			7.50	20	1000	10.00R	22	2200
7.00	17.5	450	8.25R	20	1100	11.00R	22	2400
8.00R	17.5	450	9.00R	20	1200	12.00	22	2600
8.50	17.5	500	10.00	20	1400			
9.00R	17.5	600	10.50	20	1600			

Manufactured under license by The OKO Group. e mail: universal@oko.com Web Site: www.oko.com

# Puncture<sup>®</sup> free ANTI- PUNCTURE SEALANT



Application chart / Tableau Des Doses D'application  
Tabla De Aplicacion / Tabella di Applicazione / Quadro de Aplicaco

## On Road Large Coaches, Buses, Heavy Trucks and Trailers

This chart applies ONLY to Heavy Vehicles of 5 Tonnes and over  
CAMIONS POIDS LOURDS, REMORQUES et BUS (+ plus 5 T).  
CAMIONS PESADOS, REMOLQUES y AUTOBUSES (de mas de 5 Toneladas).  
CAMION RIMORCHI e AUTOBUS / RIMORCHI STRADALI (di oltre 5 tonnellate).  
VEICULOS PESADOS, REBOQUES e AUTOCARROS. (acima de 5 toneladas).

TYRE Size.	RIM	OKO MLS	TYRE Size.	RIM	OKO MLS	TYRE Size.	RIM	OKO MLS
Taille du Pneu	Jante		Taille du Pneu	Jante		Taille du Pneu	Jante	
Tamano del neumatico	Llanta		Tamano del neumatico	Llanta		Tamano del neumatico	Llanta	
Dim. Pneumatico			Dim. Pneumatico			Dim. Pneumatico		
Tamanho do Pneu			Tamanho do Pneu			Tamanho do Pneu		
<b>22.5 Inch Rims</b>			<b>24 Inch Rims</b>					
8.00R	22.5	1600	9.00	24	2000			
9.00R	22.5	2000	10.00	24	2200			
10.00R	22.5	2200	11.00R	24	2600			
11.00 x 70	22.5	2400	12.00R	24	2800			
11.00R	22.5	2600	13.00R	24ML	3000			
12.00 x 70	22.5	2600	14.00R	24ML	3200			
12.50	22.5	2600	14.00 x 80	24	3200			
12.75	22.5	2800	17.80	24	4200			
13.00R	22.5	2800	18.00	24	4200			
15.00R	22.5	3200	18.30	24	4400			
16.50R	22.5	3600	20.00	24	4800			
18.00R	22.5	3800	405 x 70	24	3800			
435 x 50	22.5	3800	<b>24.5 Inch Rims</b>					
385 x 55	22.5	3200	11.00R	24.5	2600			
265 x 60	22.5	2400	12.00R	24.5	2800			
285 x 60	22.5	2600	13.50	24.5	3200			
295 x 60	22.5	2600	285 x 75R	24.5	2600			
315 x 60	22.5	2800	305 x 75	24.5	3000			
385 X 65	22.5	3200	315 x 75	24.5	3000			
425 X 65	22.5	3600	275 x 80	24.5	2600			
445 X 65	22.5	3800	295 x 80	24.5	2800			
255 X 70	22.5	2200	<b>25 Inch Rims</b>					
275 X 70	22.5	2400	11.00	25	2800			
295 X 70	22.5	2600	12.00	25	3000			
315 X 70	22.5	2800	14.00R	25ML	3400			
365 X 70	22.5	3200						
245 X 75R	22.5	2000						
265 x 75R	22.5	2300						
295 x 75R	22.5	2600						
305 X 75	22.5	2700						
315 X 75	22.5	2800						
345 X 75	22.5	3000						
235 X 80	22.5	2000						
255 x 80	22.5	2200						
275 x 80	22.5	2400						
295 x 80	22.5	2600						
305 x 80	22.5	2600						
315 x 80	22.5	2800						
385 x 80+	22.5	3400						

Manufactured under license by The OKO Group. e mail: universal@oko.com Web Site: www.oko.com

# Puncture<sup>®</sup> free ANTI- PUNCTURE SEALANT



Application chart / Tableau Des Doses D'application  
Tabla De Aplicacion / Tabella di Applicazione / Quadro de Aplicaco

## On Road RTG Vehicles

ON Road TRAILERS - Trailer Tyres suitable for Highway use, fitted to trailers and Powered Vehicles other than passenger cars.

TYRE Size. Taille du Pneu Tamaño del neumático Dim. Pneumatico Tamanho do Pneu	RIM Jante Llanta	OKO MLS	TYRE Size. Taille du Pneu Tamaño del neumático Dim. Pneumatico Tamanho do Pneu	RIM Jante Llanta	OKO MLS	TYRE Size. Taille du Pneu Tamaño del neumático Dim. Pneumatico Tamanho do Pneu	RIM Jante Llanta	OKO MLS
<b>8 Inch Rims</b>			<b>14.5 Inch Rims</b>					
4.00	8	200	7.00	14.5	400			
4.50	8	200	8.00	14.5	500			
4.80	8	200	9.00	14.5	500			
5.00	8	200	205 x 60	14.5	500			
5.30	8	200	<b>15 Inch Rims</b>					
5.70	8	200	6.70R	15LT	400			
<b>9 Inch Rims</b>			7.00R	15LT	400			
6.00	9	250	7.50R	15TR	400			
6.90	9	250	7.75R	15ST	500			
21.00 x 8.00	9	3000	8.25R	15TR	500			
<b>10 Inch Rims</b>			9.00R	15TR	500			
6.50	10	250	10.00R	15TR	600			
7.50	10	250	11.00R	15TR	600			
<b>12 Inch Rims</b>			12.00	15	600			
4.80	12	200	205 x 70	15	500			
5.30	12	200	205 x 80	15	600			
5.60	12	250	LT205 x 75R	15	500			
6.00	12	250	215 x 75R	15	500			
7.00	12	300	225 x 75R	15	500			
145R	12	300	235 x 75R	15	600			
155R	12	300	255 x 75R	15	600			
155 x 70	12	300	<b>16 Inch Rims</b>					
<b>13 Inch Rims</b>			6.00	16	400			
5.50	13	250	6.50R	16LT	400			
5.60	13	250	7.00	16	500			
6.00	13	250	7.50R	16LT	600			
6.15	13	300	8.25R	16	600			
6.45	13	300						
7.00	13	300						
<b>14 Inch Rims</b>								
8.00	14	400						
8.50	14	400						
11.00	14	500						
245 x 60	14	500						
265 x 60	14	500						
215 x 65	14	400						
225 x 70	14	400						
235 x 70	14	400						
245 x 70	14	500						

Manufactured under license by The OKO Group. e mail: [universal@oko.com](mailto:universal@oko.com) Web Site: [www.oko.com](http://www.oko.com)